

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)
[Quick](#)
[Advanced](#)
[Pat Num](#)
[Help](#)
[Bottom](#)
[View Cart](#)

Searching 1976 to present...

Results of Search in 1976 to present db for:

((((CCL/514/167 OR CCL/552/653) AND ACLM/method) AND ACLM/osteoporosis) AND ACLM/methylene): 18 patents.

Hits 1 through 18 out of 18

Jump To

Refine Search

(CCL/514/167 OR CCL/552/653) AND ACLM/method

PAT. NO.	Title
-------------	-------

- | | |
|-----|--|
| 1 | <u>6,642,218</u> T <u>Vitamin D derivatives with carbo- or heterocyclic substituents at C-25, a process for their production, intermediate products and their use for producing medicaments</u> |
| 2 | <u>6,613,920</u> T <u>Vitamin D derivatives with carbo- or heterocyclic substituents at C-25, process for their production, intermediate products and use for the production of pharmaceutical agents</u> |
| 3 | <u>6,600,058</u> T <u>Vitamin D derivatives with carbo- or heterocyclic substituents at C-25, a process for their production, intermediate products and their use for producing medicaments</u> |
| ✓4 | <u>6,537,981</u> T <u>26,27-Homologated-20-EPI-2-alklidene-19-nor-vitamin D compounds</u> |
| 5 | <u>6,531,460</u> T <u>Vitamin D, derivatives and remedies for inflammatory respiratory diseases containing the same</u> |
| 6 | <u>6,531,459</u> T <u>Vitamin D derivatives with phosphorus atoms in the side chains</u> |
| 7 | <u>6,372,731</u> T <u>Vitamin D derivatives with C-25 substituents, process for their preparation, intermediate products and their use in preparing medicaments</u> |
| 8 | <u>6,114,317</u> T <u>Method of locking 1.alpha.-OH of vitamin D compounds in axial orientation</u> |
| 9 | <u>5,994,332</u> T <u>Vitamin D analogues</u> |
| 10 | <u>5,976,784</u> T <u>Calcitriol derivatives and their uses</u> |
| 11 | <u>5,972,917</u> T <u>1.alpha.-hydroxy-25-ene-vitamin D, analogs and uses thereof</u> |
| 12 | <u>5,952,317</u> T <u>Calcitriol derivatives and their uses</u> |
| ✓13 | <u>5,843,928</u> T <u>2-alkylidene-19-nor-vitamin D compounds</u> |
| 14 | <u>5,817,648</u> T <u>Vitamin D.sub.3 analogues having an unsaturated side chain</u> |
| 15 | <u>5,811,562</u> T <u>Vitamin-D amide derivatives</u> |
| 16 | <u>5,786,347</u> T <u>Vitamin D amine and amide derivatives</u> |
| ✓17 | <u>5,373,004</u> T <u>26,28-methylene-1.alpha., 25-dihydroxyvitamin D.sub.2 compounds</u> |

18 5,194,431  24-cyclopropane vitamin D derivatives

Top		View Cart		
Home	Quick	Advanced	Pat Num	Help

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

Home	Quick	Advanced	Pat Num	Help
Bottom		View Cart		

Searching 1976 to present...

Results of Search in 1976 to present db for:

((CCL/514/167 OR CCL/552/653) AND osteoporosis) AND 2-methylene): 20 patents.

Hits 1 through 20 out of 20

[Jump To](#)

[Refine Search](#)

PAT. NO.	Title
1 6,774,251	T Method of synthesizing 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol
2 6,696,431	T 26,27-homologated-20-EPI-2-alkylidene-19-nor-vitamin D compounds
3 6,667,298	T 26,27-Homologated-20-EPI-2-alkyl-19-NOR-vitamin D compounds
4 6,627,622	T (20S)-1.alpha.-hydroxy-2-methylene-19-nor-bishomopregnacalciferol and its uses
5 6,579,861	T 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses
6 6,566,352	T 1.alpha.-hydroxy-2-methylene-19-nor-pregnacalciferol and its uses
7 6,544,969	T 26,27-homologated-20-epi-2-alkyl-19-nor-vitamin D compounds
8 6,537,981	T 26,27-Homologated-20-EPI-2-alklidene-19-nor-vitamin D compounds
9 6,482,812	T Method of locking 1.alpha.-OH of vitamin D compounds in axial orientation
10 6,440,953	T 1.alpha.-hydroxy-2-methylene-19-nor-homopregnacalciferol and its uses
11 6,392,071	T 26,27-homologated-20-EPI-2-alkylidene-19-nor-vitamin D compounds
12 6,369,099	T Method of locking 1.alpha.-OH of vitamin D compounds in axial orientation
13 6,316,642	T 26,27-Homologated-20-EPI-2alkyl-19-nor-vitamin D compounds
14 6,277,837	T 2-alkyl-19-nor-vitamin D compounds
15 6,127,559	T 2-alkyl-19-nor-vitamin D compounds
16 6,114,317	T Method of locking 1.alpha.-OH of vitamin D compounds in axial orientation
17 5,945,410	T 2-alkyl-19-nor-vitamin D compounds
18 5,939,408	T Vitamin D.sub.3 analogs .
19 5,932,565	T Vitamin D analogues
20 5,843,928	T 2-alkylidene-19-nor-vitamin D compounds

Top	View Cart
---------------------	---------------------------